

## Supplementary Material

### Microwave-assisted synthesis of novel 1-{[(diindolyl)methyl]benzyl}-2-{[(diindolyl)methyl]phenyl}-1*H*-benzimidazole scaffold via two-consecutive multicomponent reactions

Ricardo Alfredo Luna-Mora,<sup>a,b</sup> Cecilio Álvarez-Toledano,<sup>b</sup> Hulme Rios-Guerra,<sup>a</sup> Fernando Ortega-Jiménez,<sup>a</sup> José Guadalupe López-Cortés,<sup>b</sup> Javier Pérez-Flores,<sup>b</sup> Ángeles Torres-Reyes,<sup>a</sup> Lessly Moreno-González,<sup>a</sup> Alejandro Martínez Zaldívar,<sup>a</sup> Francisco Barrera-Tellez,<sup>a</sup> José Guillermo Penieres-Carrillo\*<sup>a</sup>

*a) Sección de Química Orgánica, Facultad de Estudios Superiores Cuautitlán-Universidad Nacional Autónoma de México, Campo 1, Avenida 1 de mayo s/n, Colonia Santa María Guadalupe Las Torres, Cuautitlán Izcalli, Estado de México, C.P. 54740, México.*

*b) Instituto de Química-Universidad Nacional Autónoma de México, Ciudad Universitaria, Circuito Exterior, México D.F., C.P. 04510.*


*c) Departamento de Alimentos y Biotecnología, Facultad de Química, Edificio E, UNAM, Av. Universidad 3000, C.U., Coyoacán, México, D.F., 04510, México.*

*E-mail:* [penieres@unam.mx](mailto:penieres@unam.mx)

### Table of Contents


1. FT-IR 1-{4-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15a</b> )	S5
2. MS-Elemental Analysis 1-{4-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15a</b> )	S5
3. <sup>1</sup> H NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15a</b> )	S6
4. <sup>13</sup> C NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15a</b> )	S6
5. FT-IR 1-{4-[Bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15b</b> )	S7
6. MS-Elemental Analysis 1-{4-[Bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15b</b> )	S7
7. <sup>1</sup> H NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15b</b> )	S8
8. <sup>13</sup> C NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15b</b> )	S8
9. FT-IR 1-{4-[Bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15c</b> )	S9
10. MS-Elemental Analysis 1-{4-[Bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15c</b> )	S9

11. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15c</b> )	S10
12. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15c</b> )	S10
13. FT-IR 1-{4-[Bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15d</b> )	S11
14. MS-Elemental Analysis 1-{4-[Bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15d</b> )	S11
15. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15d</b> )	S12
16. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{4-[Bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{4-[bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15d</b> )	S12
17. FT-IR 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15e</b> )	S13
18. MS-Elemental Analysis 1-{3-[Bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15e</b> )	S13
19. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15e</b> )	S14
20. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15e</b> )	S14
21. FT-IR 1-{3-[Bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(2-methyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15f</b> )	S15
22. MS-Elemental Analysis 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15f</b> )	S15
23. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15f</b> )	S16
24. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15f</b> )	S16
25. FT-IR 1-{3-[Bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(2-phenyl-1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15g</b> )	S17
26. MS-Elemental Analysis 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15g</b> )	S17
27. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15g</b> )	S18
28. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15g</b> )	S18
29. FT-IR 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15e</b> )	S19
30. MS-Elemental Analysis 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15h</b> )	S19
31. $^1\text{H}$ NMR (300 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15h</b> )	S20
32. $^{13}\text{C}$ NMR (75 MHz, DMSO- <i>d</i> <sub>6</sub> ) 1-{3-[Bis(1 <i>H</i> -indol-3-yl)methyl]benzyl}-2-{3-[bis(1 <i>H</i> -indol-3-yl)methyl]phenyl}-1 <i>H</i> -benzimidazole ( <b>15h</b> )	S20



IR, MS, <sup>1</sup>H NMR, <sup>13</sup>C NMR Spectra

1-{4-[Bis(1H-indol-3-yl)methyl]benzyl}-2-{4-[bis(1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15a)



Data : p-ind

Instrument : MStation

Note :-

Inlet : Direct      Ion Mode : FAB+

RT : 3.62 min      Scan# : (26,48)


Elements : C 60/0, H 49/0, N 6/0


Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1


Unsaturation (U.S.) : -0.5 – 40.0

Observed m/z	Int %
772.33105	68.99

Estimated m/z	Err [ppm / mmu]	U. S.	C	H	N
1    772.33145	-1.7 / -0.4	38.0	54	40	6





**1-[4-[Bis(1-methyl-1H-indol-3-yl)methyl]benzyl]-2-{4-[bis(1-methyl-1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15b)**

Instrument : MStation

Note :-


Inlet : Direct      Ion Mode : FAB+

RT : 0.90 min      Scan# : (6,7)


Elements : C 60/0, H 48/0, N 6/0

Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1


Unsaturation (U.S.) : -0.5 – 45.0



Observed m/z	Int %	M. W.	N
828.39365	25.03	828	
1    828.39405		C <sub>58</sub> H <sub>48</sub> N <sub>6</sub>	6



## 1-{4-[Bis(2-methyl-1H-indol-3-yl)methyl]benzyl}-2-{4-[bis(2-methyl-1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15c)



Data : para 2 me

Instrument : MStation

Note :-


Inlet : Direct      Ion Mode : FAB+

RT : 4.38 min      Scan# : (26,48)


Elements : C 60/0, H 50/0, N 6/0


Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1

Unsaturation (U.S.) : -0.5 – 40.0



Ob s e r v e d m/z	I n t %	E s t i m a t e d m/z	E r r [ p p m / m m u ]	U . S .	C	H	N
828.39325	68.99						
1    828.39405			-1.7 / -0.8	38.5	58	48	6



**1-{4-[Bis(2-phenyl-1H-indol-3-yl)methyl]benzyl}-2-{4-[bis(2-phenyl-1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15d)**

Data : para 2ph

Instrument : MStation

Note :-


Inlet : Direct      Ion Mode : FAB+

RT : 3.59 min      Scan# : (26,48)


Elements : C 80/0, H 60/0, N 6/0

Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1

Unsaturation (U.S.) : -0.5 - 60.0



M. W. 1076

 $C_{78}H_{56}N_6$ **15d**

Observed m/z

1076.45705

Int %

68.99

Estimated m/z

1 1076.45665

Err [ ppm / mmu ]

-1.5 / 0.4 54.5

U. S.


C 78

H


56

N

6



## 1-{3-[Bis(1H-indol-3-yl)methyl]benzyl}-2-{3-[bis(1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15e)




Inlet : Direct      Ion Mode : FAB+

RT : 0.50 mn      Scan# : (4,10)


Elements : C 60/0, H 49/0, N 6/0


Mass Tolerance : 1000ppm, 2mmu if m/z &gt; 2

Unsaturation (U.S.) : -0.5 – 40.0



Observed m/z	Int %	Estimated m/z	Err [ ppm / mr ]	15e	N
772.33095	2.32				
1 772.33145		-2.2 / -0.5	38.0	54	40



1-[3-[Bis(1-methyl-1*H*-indol-3-yl)methyl]benzyl]-2-[3-[bis(1-methyl-1*H*-indol-3-yl)methyl]phenyl]-1*H*-benzimidazole (15f)

Note :-

Inlet : Direct      Ion Mode : FA


RT : 0.85 min      Scan# : (6,7)



Elements : C 60/0, H 49/0, N 6/0


Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1

Unsaturation (U.S.) : -0.5 – 45.0

Observed m/z	Int %					
828.39319	25.03					
Estimated m/z		Err [ppm /				
1    828.39405		+ 0 . 8 /   - 0 . 8	38 . 5	58	H    48	N    6





**1-{3-[Bis(2-methyl-1*H*-indol-3-yl)methyl]benzyl}-2-{3-[bis(2-methyl-1*H*-indol-3-yl)methyl]phenyl}-1*H*-benzimidazole (15g)**

Data : meta 2 me  
Instrument : MStation

Note :-

Inlet : Direct      Ion Mode : FAB+


RT : 3.27 min      Scan# : (26,48)


Elements : C 60/0, H 50/0, N 6/0

Mass Tolerance : 1000ppm, 1mmu if m/z > 1


Unsaturation (U.S.) : -0.5 – 40.0

Observed m/z	Int %	15g		
Estimated m/z	Err [ ppm / mmu ]	U. S.	C	H
828.39345	58.99		58	48
1    828.39405	-1.6 / -0.6	38.5		6





## 1-{3-[Bis(2-phenyl-1H-indol-3-yl)methyl]benzyl}-2-{3-[bis(2-phenyl-1H-indol-3-yl)methyl]phenyl}-1H-benzimidazole (15h)



Data : meta 2ph

Instrument : MStation

Note :-

Inlet : Direct      Ion Mode : FAB+

RT : 0.75 min      Scan# : (6,7)

Elements : C 80/0, H 60/0, N 6/0

Mass Tolerance : 1000ppm, 1mmu if m/z &gt; 1

Unsaturation (U.S.) : -0.5 – 60.0

Observed m/z	Int %				C	H	N
1076.45715	25.03						
1    1076.45665		Err [ ppm / mmu ]	U . S .		78	56	6

